



LATEST DEVELOPMENTS

| PRODUCT | MAIN APPLICATION |
|-----------------|--|
| DOLAPIX FF 54 | Dispersant |
| PRODUKT KB 1289 | Binding and pressing / reduced water |
| PRODUKT KS 1199 | Foaming agent |
| PRODUKT KX 2056 | Cement setting |
| PRODUKT KX 2057 | Deflocculant / gunning / reduced water |
| SILUBIT FB 70 | Deflocculant |

CEMENT-FREE Al₂O₃-MgO CASTABLES

Binding system based on silica sole

▶ LITHOSOL 1530 + GIESSFIX PT 88 + DOLAPIX FF 44

CEMENT-FREE CASTABLES

Setting accelerator for silica sole

- ► LITHOSOL 1530 + KERAFLOC A 4067
- ► LITHOSOL 1530 + KERAFLOC A 4071
- ► LITHOSOL 1530 + ZUSOPLAST G 112 for cold conditions

AUXILIARIES FOR BODY PREPARATION

| PRODUCT | MAIN APPLICATION | |
|-------------------------|---|--|
| FLOCCULANTS | | |
| KERAFLOC AL FLUESSIG | Flocculant for silica sole | |
| KERAFLOC AL PULVER | Flocculant for silica sole | |
| WATERGLASS HARDENER | | |
| LITHOPIX P 26 | Controlled, irreversible precipitation of silicic acid | |
| WETTING AGENTS | | |
| GLYDOL 1195 | Blast furnace taphole bodies, carbonic ramming and extrusion bodies | |
| GLYDOL N 1003 | Wetting agent and plasticiser for clay- containing bodies, ramming mixes | |
| GLYDOL N 1055 | Wetting agent and plasticiser for clay- containing bodies, castables | |
| GLYDOL N 2002 | Blast furnace taphole bodies, carbonic ramming and extrusion bodies | |

PRODUCT MAIN APPLICATION

| SETTING ACCELER | RATORS/RETARDANTS |
|---------------------|---|
| LITHOPIX LCA | Cement-bonded bodies / retardant |
| SILUBIT BL 05 | Cement-bonded bodies / accelerator |
| SILUBIT P 67 | Cement-bonded bodies |
| CHEMICAL BINDER | RS |
| LITHOPIX AS 21 | Cement-free gunning mixes |
| LITHOPIX AS 36 | Cement-free gunning mixes |
| LITHOPIX AS 85 | Neutral, cement-free vibration bodies |
| LITHOPIX P 1 | Bodies and bricks |
| LITHOPIX P 2 | Storable, workable bodies |
| LITHOPIX P 4 | Acidic ramming and gunning mixes |
| LITHOPIX P 5 | Basic vibration and casting bodies |
| LITHOPIX P 6 | Basic brick, ramming and gunning mixes |
| LITHOPIX P 8 | Basic brick, ramming and gunning mixes |
| LITHOPIX P 9 | Neutral brick, ramming and gunning mixes |
| LITHOPIX P 15 | Neutral bodies and mortars |
| LITHOPIX P 33 | Neutral brick, ramming and gunning mixes |
| LITHOPIX P 40 | Storable, workable bodies |
| LITHOPIX P 56 | Gunning mixes for hot repairing |
| LITHOPIX P 91 | Bodies and mortars from neutral raw materials |
| LITHOPIX P 92 | Ready-to-use mortars |
| LITHOPIX S 2 | Mortars, gunning mixes and core sands |
| LITHOPIX S 3 | Mortars, gunning mixes and core sands |
| LITHOPIX S 12 | Tundish gunning mixes |
| LITHOPIX S 66 | Mortars, gunning mixes and core sands |
| LITHOPIX ST 5 | Insulating tundish gunning mixes |
| LITHOSOL 1530 | Ceramic fibres, castables |
| LITHOSOL 1540 | Ceramic fibres, castables |
| SILUBIT FB 10 | Binder and thixotropic agent for vibration bodies |
| SILUBIT FB 29 | Binder and thixotropic agent for vibration bodies |
| SILUBIT FB 70 | Binder and thixotropic agent for vibration bodies |
| SILUBIT H 19 | Low-cement gunning mixes |
| PLASTICISERS/S | TABILISERS |
| PEPTAPON 5 | Stabiliser for pressing, ramming |
| | and extrusion bodies |
| PEPTAPON 9 | Stabiliser for pressing, ramming and extrusion bodies |
| PEPTAPON 71 S | Stabiliser for pressing, ramming and extrusion bodies |
| ZUSOPLAST C 39 | Pressing, ramming and extrusion bodies |
| ZUSOPLAST PS 1 M | Pressing, ramming and extrusion bodies |

| PRODUCT | MAIN APPLICATION |
|---------------------------|---|
| POROSITY-INDUCI | NG AGENTS |
| CELLOTIN PP 6 | Dewatering aid |
| CELLOTIN ZZ 8/1 | Insulating tundish gunning mixes, also used as a separation inhibitor |
| GLYDOL N 1058 | Foam ceramics |
| PORLAT K 85-90 | Targeted adjustment of pore size, pore volume and pore distribution |
| PRESSING AGENTS | 5 |
| ZUSOPLAST 126/3 | Dry pressing bodies and extrusion bodies |
| ZUSOPLAST 5012 | Basic dry pressing bodies, also water-free |
| ZUSOPLAST E 1 | Basic dry pressing bodies, also water-free |
| ZUSOPLAST 0 59 | Dry pressing bodies and extrusion bodies |
| DUST-BINDING AG | ENT |
| ZUSOPLAST S 13 SPEZIAL | Gunning mixes |
| TEMPORARY BIND | ERS |
| LITHOPIX LCA | Increase of green and dry strength |
| OPTAPIX AC 15 | Increase of green and dry strength |
| OPTAPIX AC 51 | Increase of green and dry strength |
| OPTAPIX AC 112 | Increase of green and dry strength |
| OPTAPIX PAC 60 | Mortars |
| OPTAPIX PAF 35 | Increase of green and dry strength |
| RELEASE AGENTS | |
| TRENNEMULSION W 165 | Release agent for refractory parts |
| ZUSOPLAST 0 59 | Clay-containing pressing, squeeze and extrusion bodies |
| DEFLOCCULANTS A | DISPERSANTS |
| DOLAPIX CE 64 | Oxidic bodies, also cement-bonded |
| DOLAPIX FF 1 | Oxidic bodies, also cement-bonded |
| DOLAPIX FF 7 SPEZIAL | Oxidic bodies, also cement-bonded |
| DOLAPIX FF 26 | Free of microsilica, also cement-bonded |
| DOLAPIX FF 44 | Contains microsilica, also cement-bonded |
| DOLAPIX FF 54 | Contains microsilica, also cement-bonded |
| GIESSFIX PT 88 | Oxidic bodies, also cement-bonded |
| OTHERS | |

ZUSOPLAST

G 112



Anti-freezing solution for cement, silica sole

and waterglass-containing bodies



ZSCHIMMER & SCHWARZ GROUP

Zschimmer & Schwarz is an internationally active company with headquarters in Lahnstein near Koblenz, Germany. The company has been family-owned since its foundation in 1894 in Chemnitz, Germany.

Our core business is the development, production and supply of tailor-made chemical auxiliaries for the leather, ceramic, textile and chemical fibre industries. Manufacturers of cleaning agents, personal care products, paints and coatings, lubricants and industrial applications all over the world trust in the company's chemical specialities as well.

The corporate group Zschimmer & Schwarz comprises 28 companies in 16 countries on five continents, 21 of which have their own production facilities. Our customers can always rely on a uniform quality standard worldwide and equally on the high service orientation of our local experts.



Zschimmer & Schwarz

GmbH & Co KG
Chemische Fabriken
Max-Schwarz-Strasse 3–5
56112 Lahnstein | DE
T +49 2621 12-485 | F +49 2621 12-403
ceramics@zschimmer-schwarz.com
zschimmer-schwarz.com



For more information about our ceramic auxiliaries and lab equipment, please visit zs-showroom.com/ceramics