


NOVALTAN PF

Special auxiliary for leather tanning and fur dressing



PICKLE

- ► Improved tear resistance
- ► Better distribution of natural fats




REWETTING

- ▶ Speeds up water absorption
- ► Homogenised surface charge of the leather



TANNING

- ► Increased diffusion of tanning agents
- ▶ More even distribution of tanning agents
- ▶ Improved chrome exhaustion of the float



RECHROMING

- ▶ Excellent distribution and exhaustion of tanning agents
- ▶ Very fine and smooth grain

NEUTRALISING

- ► Homogenised grain appearance if combined with suitable fatliquors
- ► Improved grain elasticity

RETANNING

- ► Greatly improved physical properties
- ▶ Very fine and elegant grain
- ▶ Even penetration of retanning agents
- Reduced bleaching tendency if polymeric retanning agents are used



FUR PROCESSING

- Improved tanning action if used in combination with NOVALTAN AL
- ▶ Supports good distribution of natural fat in the skin
- ▶ Replacement for formaldehyde in ironing solution



DYEING

- ► More brilliant shades
- ► Minimised shade differences on different wet-blue origin if combined with NOVALTAN PW
- ▶ No negative influence on light and heat fastness



FATLIQUORING

- Greatly improved softness
- ► Enhanced fatliquor absorption and distribution
- ► Creates outstandingly fine emulsions in combination with concentrated fatliquors



SUPPORTS

- ► Smooth grain/fewer drawn grain areas
- ► Breathability of all leather types, especially of waterproof articles
- ► Specific lightweight leathers
- ► Even pH in cross section

IMPROVES

- ▶ Uniformity of the hides in production batches
- ► Physical properties

CREATES

- ► More even and uniform softness
- ► Greater area yield
- Upgrade in selection of small skins and leather hides



GmbH & Co KG Chemische Fabriken Max-Schwarz-Strasse 3–5 56112 Lahnstein | DE T +49 2621 12-512 leather@zschimmer-schwarz.com zschimmer-schwarz.com